

Arholekas, Irene, F, 10/03/1971

646-641-2076

2248 31ST ST , ASTORIA, NY 11105-2714
718-571-9192

FINAL RESULT

Accession ID: QLS0826800	Lab Ref ID: CMD20960374
Specimen Source: Nasopharyngeal swab	Specimen Description:
Order Date: 05/12/2021	Received: 05/14/2021 03:29:06
Collection Date: 05/13/2021 11:01:00	Report: 05/14/2021 03:22:00
Requesting Physician: Gupta, Kamna	Ordering Physician: Gupta, Kamna

COVID-19 - Nasal Swab PCR

NAME	VALUE	REFERENCE RANGE
F SARS CoV 2 RNA	NOT DETECTED	NOT DETECTED
	<p>-</p> <ul style="list-style-type: none"> - A Not Detected (negative) test result for this - test means that SARS-CoV-2 RNA was not present - in the specimen above the limit of detection. A - negative result does not rule out the possibility - of COVID-19 and should not be used as the sole - basis for treatment or patient management - decisions. If COVID-19 is still suspected, based - on exposure history together with other clinical - findings, re-testing should be considered in - consultation with public health authorities. - Laboratory test results should always be considered - in the context of clinical observations and - epidemiological data in making a final diagnosis - and patient management decisions. <p>-</p> <ul style="list-style-type: none"> - This patient specimen was tested using an FDA EUA pooling - method. 	

-

- Negative results from pooled testing should not be
- treated as definitive. If the patient's clinical
- signs and symptoms are inconsistent with a negative
- result or results are necessary for patient management,
- then the patient should be considered for individual
- testing. In very rare cases, estimated at about 8
- in 1,000 (0.8%) or less patient specimens with low
- viral loads may not be detected in sample pools due
- to the decreased sensitivity of pooled testing.

-

- Please review the "Fact Sheets" and FDA authorized
- labeling available for health care providers and
- patients using the following websites:

-

<https://www.questdiagnostics.com/home/Covid-19/HCP/rc-sars-cov2-fact-sheet.html>

-

<https://www.questdiagnostics.com/home/Covid-19/Patients/rc-sars-cov2-fact-sheet.html>

-

- This test has been authorized by the FDA under an
- Emergency Use Authorization (EUA) for use by authorized
- laboratories.

-

- Due to the current public health emergency, Quest
- Diagnostics is receiving a high volume of samples from
- a wide variety of swabs and media for COVID-19 testing.

- In order to serve patients during this public health crisis, samples from appropriate clinical sources are being tested. Negative test results derived from specimens received in non-commercially manufactured viral collection and transport media, or in media and sample collection kits not yet authorized by FDA for COVID-19 testing should be cautiously evaluated and the patient potentially subjected to extra precautions such as additional clinical monitoring, including collection of an additional specimen.

-

- Methodology: Nucleic Acid Amplification Test (NAAT)

- includes RT-PCR or TMA

-

- Additional information about COVID-19 can be found at the Quest Diagnostics website:

-

www.QuestDiagnostics.com/Covid19.

Quest Accession #: CF162095C

Quest Results Received Date/Time: 20210513185400

Quest Reported Date/Time: 20210514032200

Result:

Accession ID:

QLS0826800

Notes: